

# MARINE NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

## Main & Secondary

### Main Grades

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS CYL 570	Marine cylinder oil specially designed for modern low speed 2-stroke marine main engines using heavy fuel oil	50	70		Cylinder Oil
NS CYL 540	Marine cylinder lubricant for low-speed marine two-stroke diesel engines running on distillate and ultra-low Sulphur fuel oils	50	40		Cylinder Oil
NS CYL 540 Cat. II	Marine cylinder lubricant for low-speed marine two-stroke diesel engines especially recommended for Mark 9 Everllence engines and higher	50	40		Cylinder Oil
NS CYL 5100	Premium marine cylinder lubricant for low-speed marine diesel crosshead engines running on residual fuel	50	100		Cylinder Oil
NS SYS 305	Marine crankcase lubricant for low-speed marine two-stroke crosshead diesel engines running on residual fuel	30	5		System Oil
NS GEN 312	Oil for 4-stroke medium speed diesel engines operating on distillate fuel, very low Sulphur fuel (VLSFO) <0.5% Sulphur content and ultra low Sulphur fuel (ULSFO) <0.1% Sulphur content	30	12		Generator Engine Oil
NS GEN 412	Oil for 4-stroke medium speed diesel engines operating on distillate fuel, very low Sulphur fuel (VLSFO) <0.5% Sulphur content and ultra low Sulphur fuel (ULSFO) <0.1% Sulphur content	40	12		Generator Engine Oil
NS TPEO 320	Marine trunk piston engine oil for 4-stroke medium speed diesel engines operating on low Sulfur fuel oil (LSFO)	30	20		Trunk Piston Engine Oil
NS TPEO 420	Marine trunk piston engine oil for 4-stroke medium speed diesel engines operating on low Sulfur fuel oil (LSFO)	40	20		Trunk Piston Engine Oil
NS TPEO 330	Marine trunk piston engine oil for 4-stroke medium speed diesel engines running on high Sulfur heavy fuel oil (HSFO)	30	30		Trunk Piston Engine Oil
NS TPEO 430	Marine trunk piston engine oil for 4-stroke medium speed diesel engines running on high Sulfur heavy fuel oil (HSFO)	40	30		Trunk Piston Engine Oil
NS TPEO 340	Marine trunk piston engine oil for 4-stroke medium speed diesel engines running on high Sulfur heavy fuel oil (HSFO)	30	40		Trunk Piston Engine Oil
NS TPEO 440	Marine trunk piston engine oil for 4-stroke medium speed diesel engines running on high Sulfur heavy fuel oil (HSFO)	40	40		Trunk Piston Engine Oil

# MARINE NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

## Main & Secondary

### Secondary Grades

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS HYDRAULIC HVI 15	Marine high VI hydraulic oil			15	Hydraulic Oil
NS HYDRAULIC HVI 22	Marine high VI hydraulic oil			22	Hydraulic Oil
NS HYDRAULIC HVI 32	Marine high VI hydraulic oil			32	Hydraulic Oil
NS HYDRAULIC HVI 46	Marine high VI hydraulic oil			46	Hydraulic Oil
NS HYDRAULIC HVI 68	Marine high VI hydraulic oil			68	Hydraulic Oil
NS HYDRAULIC HVI 100	Marine high VI hydraulic oil			100	Hydraulic Oil
NS HYDRAULIC HVI 150	Marine high VI hydraulic oil			150	Hydraulic Oil
NS HYDRAULIC HVI 220	Marine high VI hydraulic oil			220	Hydraulic Oil
NS HYDRAULIC HVI 320	Marine high VI hydraulic oil			320	Hydraulic Oil
NS HYDRAULIC HVI 460	Marine high VI hydraulic oil			460	Hydraulic Oil
NS HYDRAULIC HVI 680	Marine high VI hydraulic oil			680	Hydraulic Oil
NS AIRCOMP 46	Marine air compressor oil specially for rotary and reciprocating air compressors			46	Air Compressor Oil
NS AIRCOMP 68	Marine air compressor oil specially for rotary and reciprocating air compressors			68	Air Compressor Oil
NS AIRCOMP 100	Marine air compressor oil specially for rotary and reciprocating air compressors			100	Air Compressor Oil
NS TURBINE 32	Marine turbine oil designed for turbo generators and turbochargers			32	Turbine Oil
NS TURBINE 46	Marine turbine oil designed for turbo generators and turbochargers			46	Turbine Oil
NS TURBINE 68	Marine turbine oil designed for turbo generators and turbochargers			68	Turbine Oil
NS TURBINE 100	Marine turbine oil designed for turbo generators and turbochargers			100	Turbine Oil
NS GEAR 68	Marine gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			68	Gear Oil
NS GEAR 100	Marine gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			100	Gear Oil
NS GEAR 150	Marine gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			150	Gear Oil
NS GEAR 220	Marine gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			220	Gear Oil
NS GEAR 320	Marine gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			320	Gear Oil
NS GEAR 460	Marine gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			460	Gear Oil
NS GEAR 680	Marine gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			680	Gear Oil
NS REFRIGERATION OIL 32	Marine refrigeration oil formulated for refrigeration compressors using refrigerants like HCFC and Ammonia			32	Refrigeration Oil
NS REFRIGERATION OIL 46	Marine refrigeration oil formulated for refrigeration compressors using refrigerants like HCFC and Ammonia			46	Refrigeration Oil

**E** sales@energy-spring.sg  
**M** +6569939836  
**W** energy-spring.sg

**A** 3 TEMASEK AVENUE, #21-00,  
CENTENNIAL TOWER,  
SINGAPORE 039190



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

# MARINE NS LUBRICANTS

## Main & Secondary

### Secondary Grades

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS REFRIGERATION OIL 46	Marine refrigeration oil formulated for refrigeration compressors using refrigerants like HCFC and Ammonia			46	Refrigeration Oil
NS REFRIGERATION OIL 68	Marine refrigeration oil formulated for refrigeration compressors using refrigerants like HCFC and Ammonia			68	Refrigeration Oil
NS MULTIX 15W-40	Marine trunk piston engine oil for high speed turbo-charged diesel engines	15/40			Engine Oil
NS MULTIX 20W-50	Marine trunk piston engine oil for high speed turbo-charged diesel engines	20/50			Engine Oil



# MARINE NS LUBRICANTS

## Main & Secondary

### Greases

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS GREASE EP Li 0	Multipurpose extreme-pressure Lithium soap marine grease			NLGI 0	Grease
NS GREASE EP Li 1	Multipurpose extreme-pressure Lithium soap marine grease			NLGI 1	Grease
NS GREASE EP Li 2	Multipurpose extreme-pressure Lithium soap marine grease			NLGI 2	Grease
NS GREASE EP Li 3	Multipurpose extreme-pressure Lithium soap marine grease			NLGI 3	Grease
NS GREASE EP Li 2 X	Multipurpose extreme-pressure Lithium complex marine grease			NLGI 2	Grease
NS GREASE CalSu 2 X	Water resistant and corrosion protection extreme-pressure Calcium Sulphonate complex grease			NLGI 2	Grease
NS GREASE EP Cal 2 MG	Water resistant extreme-pressure Calcium grease with Molybdenum Disulfide and Graphite			NLGI 2	Grease
NS SYNTH GREASE Li 2	Synthetic Lithium complex grease, especially formulated to cope with the most severe operating conditions, heavy loads, long relubrication intervals, high speeds etc.			NLGI 2	Grease
NS GREASE OG/WR	Marine grease for use on slide rails, metal cables, wire ropes, winches, open gears and chains working in severe circumstances			NLGI 2	Grease
NS MOLYPLEX	Marine extreme pressure, long life Lithium complex grease with Molybdenum Disulfide			NLGI 2	Grease

# MARINE NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

## Synthetic & Special Products

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS SYNTH PAO COMP 32	Marine synthetic (PAO) compressor lubricant formulated for turbochargers and compressors which require extreme anti-oxidation properties			32	Synthetic Air Compressor Oil
NS SYNTH PAO COMP 46	Marine synthetic (PAO) compressor lubricant formulated for turbochargers and compressors which require extreme anti-oxidation properties			46	Synthetic Air Compressor Oil
NS SYNTH PAO COMP 68	Marine synthetic (PAO) compressor lubricant formulated for turbochargers and compressors which require extreme anti-oxidation properties			68	Synthetic Air Compressor Oil
NS COMP LPG 150	Marine synthetic compressor (PAG) oil for LPG, LNG and chemical gas compressors			150	Synthetic Gas Compressor Oil
NS COMP LPG 220	Marine synthetic compressor (PAG) oil for LPG, LNG and chemical gas compressors			220	Synthetic Gas Compressor Oil
NS SYNTH DE 68	Marine synthetic air compressor (Di-ester) oil for turbochargers and reciprocating air compressors			68	Synthetic Air Compressor Oil
NS SYNTH DE 100	Marine synthetic air compressor (Di-ester) oil for turbochargers and reciprocating air compressors			100	Synthetic Air Compressor Oil
NS SYNTH DE 150	Marine synthetic air compressor (Di-ester) oil for turbochargers and reciprocating air compressors			150	Synthetic Air Compressor Oil
NS THERMO 32	Marine heat transfer mineral oil with high oxidation resistance			32	Heat Transfer Oil
NS THERMO 46	Marine heat transfer mineral oil with high oxidation resistance			46	Heat Transfer Oil
NS SYNTH PAO GEAR 68	Marine synthetic gear oil (PAO) formulated for all types of gears and bearings with higher oxidation resistance			68	Synthetic Gear Oil
NS SYNTH PAO GEAR 150	Marine synthetic gear oil (PAO) formulated for all types of gears and bearings with higher oxidation resistance			150	Synthetic Gear Oil
NS SYNTH PAO GEAR 220	Marine synthetic gear oil (PAO) formulated for all types of gears and bearings with higher oxidation resistance			220	Synthetic Gear Oil
NS SYNTH PAO GEAR 320	Marine synthetic gear oil (PAO) formulated for all types of gears and bearings with higher oxidation resistance			320	Synthetic Gear Oil
NS SYNTH GEAR PG 220	Marine synthetic gear oil (PAG) particularly suitable for all types of gears and bearings at high temperatures and heavy shock loads			220	Synthetic Gear Oil
NS SYNTH GEAR PG 320	Marine synthetic gear oil (PAG) particularly suitable for all types of gears and bearings at high temperatures and heavy shock loads			320	Synthetic Gear Oil
NS SYNTH GEAR PG 460	Marine synthetic gear oil (PAG) particularly suitable for all types of gears and bearings at high temperatures and heavy shock loads			460	Synthetic Gear Oil
NS SYNTH REF AB 32	Marine synthetic refrigeration compressor oil (AB) formulated for air compressors and refrigerating compressors using CFC and HCFC refrigerant gas (R22)			32	Synthetic Refrigeration Oil
NS SYNTH REF AB 46	Marine synthetic refrigeration compressor oil (AB) formulated for air compressors and refrigerating compressors using CFC and HCFC refrigerant gas (R22)			46	Synthetic Refrigeration Oil
NS SYNTH REF AB 68	Marine synthetic refrigeration compressor oil (AB) formulated for air compressors and refrigerating compressors using CFC and HCFC refrigerant gas (R22)			68	Synthetic Refrigeration Oil
NS SYNTH REF AB 100	Marine synthetic refrigeration compressor oil (AB) formulated for air compressors and refrigerating compressors using CFC and HCFC refrigerant gas (R22)			100	Synthetic Refrigeration Oil

# MARINE NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

## Synthetic & Special Products

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS SYNTH REF POE 32	Marine synthetic (POE) oil used in refrigerating compressors using HFC refrigerants			32	Synthetic Refrigeration Oil
NS SYNTH REF POE 46	Marine synthetic (POE) oil used in refrigerating compressors using HFC refrigerants			46	Synthetic Refrigeration Oil
NS SYNTH REF POE 68	Marine synthetic (POE) oil used in refrigerating compressors using HFC refrigerants			68	Synthetic Refrigeration Oil
NS SYNTH REF POE 100	Marine synthetic (POE) oil used in refrigerating compressors using HFC refrigerants			100	Synthetic Refrigeration Oil
NS SYNTH REF POE 220	Marine synthetic (POE) oil used in refrigerating compressors using HFC refrigerants			220	Synthetic Refrigeration Oil
NS SYNTH REF PAO 220	Synthetic refrigeration oil (PAO)			220	Synthetic Refrigeration Oil
NS HYDRAULIC LA 22	Ash-free, low temperature hydraulic and lubrication oils for hydraulic systems, bearings and transmissions			22	Hydraulic Oil
NS HYDRAULIC LA 32	Ash-free, low temperature hydraulic and lubrication oils for hydraulic systems, bearings and transmissions			32	Hydraulic Oil
NS HYDRAULIC LA 46	Ash-free, low temperature hydraulic and lubrication oils for hydraulic systems, bearings and transmissions			46	Hydraulic Oil
NS HYDRAULIC LA 68	Ash-free, low temperature hydraulic and lubrication oils for hydraulic systems, bearings and transmissions			68	Hydraulic Oil
NS HYDRAULIC LA 100	Ash-free, low temperature hydraulic and lubrication oils for hydraulic systems, bearings and transmissions			100	Hydraulic Oil
NS HYDRAULIC LA 150	Ash-free, low temperature hydraulic and lubrication oils for hydraulic systems, bearings and transmissions			150	Hydraulic Oil
NS DIESEL DD 40	High quality low-ash, heavy duty, detergent diesel engine oil used for turbo charged Detroit Diesel two-stroke engines	40			Engine Oil
NS DIESEL RR 40	Railroad locomotive diesel engine oil, formulated using high quality base oils and an additive package and meets the requirements of General Electric (GE) and Electromotive Diesel (EMD) for their modern engines	40			Engine Oil
NS SYNTH DIESEL 40	Synthetic diesel engine oil	40			Engine Oil
NS GEAR EP 80W-90	High performance gear lubricant for use in heavy duty manual transmissions	80/90			Transmission Oil
NS OUTBOARD 2T	High performance, ashless, 2-stroke engine oil developed to meet the most critical requirements of modern water cooled outboard engines				Engine Oil
NS ATF D III	High performance automatic transmission fluid				Transmission Oil

# FOOD GRADE NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS FOODSAFE HYDRAULIC 22	H1 food grade general purpose hydraulic lubricant			22	Hydraulic Oil
NS FOODSAFE HYDRAULIC 32	H1 food grade general purpose hydraulic lubricant			32	Hydraulic Oil
NS FOODSAFE HYDRAULIC 46	H1 food grade general purpose hydraulic lubricant			46	Hydraulic Oil
NS FOODSAFE HYDRAULIC 68	H1 food grade general purpose hydraulic lubricant			68	Hydraulic Oil
NS FOODSAFE HYDRAULIC 100	H1 food grade general purpose hydraulic lubricant			100	Hydraulic Oil
NS FOODSAFE PAO HYDRAULIC 15	H1 high performance (PAO) food grade hydraulic lubricant			15	Synthetic Hydraulic Oil
NS FOODSAFE PAO HYDRAULIC 22	H1 high performance (PAO) food grade hydraulic lubricant			22	Synthetic Hydraulic Oil
NS FOODSAFE PAO HYDRAULIC 32	H1 high performance (PAO) food grade hydraulic lubricant			32	Synthetic Hydraulic Oil
NS FOODSAFE PAO HYDRAULIC 46	H1 high performance (PAO) food grade hydraulic lubricant			46	Synthetic Hydraulic Oil
NS FOODSAFE PAO HYDRAULIC 68	H1 high performance (PAO) food grade hydraulic lubricant			68	Synthetic Hydraulic Oil
NS FOODSAFE PAO HYDRAULIC 100	H1 high performance (PAO) food grade hydraulic lubricant			100	Synthetic Hydraulic Oil
NS FOODSAFE GEAR 150	H1 food grade gear lubricant			150	Gear Oil
NS FOODSAFE GEAR 220	H1 food grade gear lubricant			220	Gear Oil
NS FOODSAFE GEAR PAO 150	H1 high performance (PAO) food grade gear lubricant			150	Synthetic Gear Oil
NS FOODSAFE GEAR PAO 220	H1 high performance (PAO) food grade gear lubricant			220	Synthetic Gear Oil
NS FOODSAFE GEAR PAG 150	H1 high performance (PAG) food grade gear lubricant			150	Synthetic Gear Oil
NS FOODSAFE GEAR PAG 220	H1 high performance (PAG) food grade gear lubricant			220	Synthetic Gear Oil
NS FOODSAFE AIR SYNTH 32	H1 high performance food grade air compressor lubricant			32	Synthetic Air Compressor Oil
NS FOODSAFE AIR SYNTH 46	H1 high performance food grade air compressor lubricant			46	Synthetic Air Compressor Oil
NS FOODSAFE AIR SYNTH 68	H1 high performance food grade air compressor lubricant			68	Synthetic Air Compressor Oil
NS FOODSAFE AIR SYNTH 100	H1 high performance food grade air compressor lubricant			100	Synthetic Air Compressor Oil
NS FOODSAFE AIR PAO-E 46	H1 high performance food grade (PAO/Ester) lubricant with extreme long life			46	Synthetic Air Compressor Oil
NS FOODSAFE HTF 35	HT1 food grade heat transfer fluid			35	Heat Transfer Oil
NS FOODSAFE GREASE ALUX NLGI 2	H1 Aluminum complex general purpose grease with EP properties			95	Grease
NS FOODSAFE CHAIN HT 220	H1 synthetic high temperature (POE) chain oil			220	Synthetic Chain Oil

# AUTOMOTIVE NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS AVL ULTIMATE 5W-30	Fully synthetic, low viscosity, high fuel economy motor oil	5/30			Passenger Car Oil
NS AVL U-FE 0W-20	Fully synthetic, low viscosity, high fuel economy motor oil. It provides exceptional performance and wear protection, no matter the service conditions	0/20			Passenger Car Oil
NS AVL RND 5W-30	Latest specification, fully synthetic, low viscosity, high fuel economy motor oil. It provides exceptional performance and wear protection, no matter the service conditions	5/30			Passenger Car Oil
NS AVL MB 5W-30	Fully synthetic, low viscosity, high fuel economy motor oil. It provides exceptional performance and wear protection, no matter the service conditions	5/30			Passenger Car Oil
NS AVL DI 5W-40	Fully synthetic, low viscosity, high fuel economy motor oil. It provides exceptional performance and wear protection, no matter the service conditions	5/40			Passenger Car Oil
NS TRL ULTIMATE 5W-30	Advanced technology, fully synthetic diesel engine oil, low in Ash, Sulphur, Phosphorus (Low SAPS). Intended for the lubrication of commercial vehicles	5/30			Heavy Duty & Agri Oil
NS TRL VOL 10W-40 & 15W-40	Top tier mid SAPS HDDEO. It has been engineered to satisfy the strict requirements of new generation diesel engines with particulate filters and other after-treatment systems	10/40 - 15/40			Heavy Duty & Agri Oil
NS AGRI STOU 10W-30	Super universal tractor oils (STOU) of premium quality that can be used all year around in all agricultural machinery	10/30			Heavy Duty & Agri Oil
NS AGRI STOU 15W-40	Super universal tractor oils (STOU) of premium quality that can be used all year around in all agricultural machinery	15/40			Heavy Duty & Agri Oil
NS AGRI UTTO 10W-30	Low viscosity universal tractor transmission oil (UTTO) intended for use in power-shift transmissions and where oil immersed clutches/brakes and fluid couplings are incorporated in the drive-line	10/30			Heavy Duty & Agri Oil
NS VTO SYNTH 75W-80	Exceptional performance, multi-vehicle manual transmission synthetic fluid. It is formulated with an advanced medium EP additive system that is ideally compatible with modern synchronisers and other key friction materials mainly used in passenger cars applications	75/80			Gear Oil
NS ATF SYN-6	High performance automatic transmission fluid				Transmission Oil

**E** sales@energy-spring.sg  
**M** +6569939836  
**W** energy-spring.sg

**A** 3 TEMASEK AVENUE, #21-00,  
CENTENNIAL TOWER,  
SINGAPORE 039190

# INDUSTRIAL NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS AIRCOMP 46	Air compressor oil specially formulated for all rotary and reciprocating air compressors			46	Air Compressor Oil
NS AIRCOMP 68	Air compressor oil specially formulated for all rotary and reciprocating air compressors			68	Air Compressor Oil
NS AIRCOMP 100	Air compressor oil specially formulated for all rotary and reciprocating air compressors			100	Air Compressor Oil
NS COMP LPG 150	Synthetic compressor (PAG)lubricant specially formulated for hydrocarbon and natural gas compressors			150	Synthetic Gas Compressor Oil
NS COMP LPG 220	Synthetic compressor (PAG)lubricant specially formulated for hydrocarbon and natural gas compressors			220	Synthetic Gas Compressor Oil
NS GEAR 68	Gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			68	Gear Oil
NS GEAR 100	Gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			100	Gear Oil
NS GEAR 150	Gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			150	Gear Oil
NS GEAR 220	Gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			220	Gear Oil
NS GEAR 320	Gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			320	Gear Oil
NS GEAR 460	Gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			460	Gear Oil
NS GEAR 680	Gear oil formulated for all types of gears and bearings operating under extreme pressure conditions			680	Gear Oil
NS HYDRAULIC HVI 15	Hydraulic oil specially formulated for lubrication of all hydraulic equipment operating in extreme temperature conditions			15	Hydraulic Oil
NS HYDRAULIC HVI 22	Hydraulic oil specially formulated for lubrication of all hydraulic equipment operating in extreme temperature conditions			22	Hydraulic Oil
NS HYDRAULIC HVI 32	Hydraulic oil specially formulated for lubrication of all hydraulic equipment operating in extreme temperature conditions			32	Hydraulic Oil
NS HYDRAULIC HVI 46	Hydraulic oil specially formulated for lubrication of all hydraulic equipment operating in extreme temperature conditions			46	Hydraulic Oil
NS HYDRAULIC HVI 68	Hydraulic oil specially formulated for lubrication of all hydraulic equipment operating in extreme temperature conditions			68	Hydraulic Oil
NS HYDRAULIC HVI 100	Hydraulic oil specially formulated for lubrication of all hydraulic equipment operating in extreme temperature conditions			100	Hydraulic Oil
NS HYDRAULIC HVI 150	Hydraulic oil specially formulated for lubrication of all hydraulic equipment operating in extreme temperature conditions			150	Hydraulic Oil
NS HYDRAULIC LA 22	Premium anti-wear ashless hydraulic oil			22	Hydraulic Oil
NS HYDRAULIC LA 32	Premium anti-wear ashless hydraulic oil			32	Hydraulic Oil
NS HYDRAULIC LA 46	Premium anti-wear ashless hydraulic oil			46	Hydraulic Oil
NS HYDRAULIC LA 68	Premium anti-wear ashless hydraulic oil			68	Hydraulic Oil
NS HYDRAULIC LA 100	Premium anti-wear ashless hydraulic oil			100	Hydraulic Oil
NS HYDRAULIC LA 150	Premium anti-wear ashless hydraulic oil			150	Hydraulic Oil

**E** sales@energy-spring.sg  
**M** +6569939836  
**W** energy-spring.sg

**A** 3 TEMASEK AVENUE, #21-00,  
CENTENNIAL TOWER,  
SINGAPORE 039190

# INDUSTRIAL NS LUBRICANTS



**ENERGYSPRING**  
ENERGIZING INDUSTRIES SUSTAINABLY

PRODUCT NAME	APPLICATION	SAE GRADE	TBN VALUE	ISO GRADE	CATEGORY
NS TURBINE 32	Turbine oil specially formulated for turbo generators, turbochargers and turbo pumps			32	Turbine Oil
NS TURBINE 46	Turbine oil specially formulated for turbo generators, turbochargers and turbo pumps			46	Turbine Oil
NS TURBINE 68	Turbine oil specially formulated for turbo generators, turbochargers and turbo pumps			68	Turbine Oil
NS TURBINE 100	Turbine oil specially formulated for turbo generators, turbochargers and turbo pumps			100	Turbine Oil
NS REFRIGERATION OIL 32	Refrigeration oil specially formulated for all types of refrigeration compressors			32	Refrigeration Oil
NS REFRIGERATION OIL 46	Refrigeration oil specially formulated for all types of refrigeration compressors			46	Refrigeration Oil
NS REFRIGERATION OIL 68	Refrigeration oil specially formulated for all types of refrigeration compressors			68	Refrigeration Oil
NS SYNTH REF AB 32	Synthetic reciprocating air compressor and refrigeration compressor oil			32	Synthetic Refrigeration Oil
NS SYNTH REF POE 32	Synthetic (POE) oil specially formulated for refrigerating compressors using HFC refrigerants			32	Synthetic Refrigeration Oil
NS SYNTH REF POE 46	Synthetic (POE) oil specially formulated for refrigerating compressors using HFC refrigerants			46	Synthetic Refrigeration Oil
NS SYNTH REF POE 68	Synthetic (POE) oil specially formulated for refrigerating compressors using HFC refrigerants			68	Synthetic Refrigeration Oil
NS SYNTH REF POE 100	Synthetic (POE) oil specially formulated for refrigerating compressors using HFC refrigerants			100	Synthetic Refrigeration Oil